





4T

FULLY SYNTHETIC ENGINE OIL

0 10W-40



JASO MA2

1417 (2

API


GRAVITY 010W-40

Motorcycle, ATV, Scooter > Petrol 4T

SN

Gravity® Ride MOTO 4T, our pinnacle 10W-40, JASO MA2, fully synthetic 4-stroke engine oil, boasts cutting edge low friction FluXion® Ester Technology for heightened power and torque. Tailored for performance, high-revving 4-stroke and v-type engines, air-cooled / water-cooled, scooters and ATV.

Its robust formulation supports dilution challenges, including exposure to ethanol, E10, E85, methanol, nitromethane, cetane, octane boosters and nitrous oxide.





Benefits

- **Outstanding shear stability and endurance**
- Excellent cleaning properties for long-term and optimum performance
- Onstant high friction form for wet clutch performance
- Outstanding lubrication properties throughout the entire service life
- Minimal transmission and engine wear
- Excellent oxidation resistance and valve train wear protection
- Excellent heat management and dispersion for stable power delivery
- Suitable for use in engines fitted with oil-immersed 'wet' clutches.

Typical characteristics

AS	T	Μ	

Kinematic Viscosity @104°F/40°c	95.4 cSt	D-7042
Kinematic Viscosity @212°F/100°c	14.1 cSt	D-7042
Viscosity Index	152	D-2270
SP. Gravity @15°c/60°F	0.865 g/cm³	D-4052
Flash Point (min/max)	230°c / -36°c	D-92 / D-97
Total Base Number	6 mg KOH/g	D-2896
Cold Cranking Simulator	<6800 (-25°c) m.Pa.S	D-5293



CLUTCH

















XHYPE.co.uk



support@xhype.co.uk



0800 4488 645



0788 8080 645

Head Office

International House 10 Beaufort Court Admirals Way London E14 9XL United Kingdom

